



Commercial Cooking Equipment

"Serving Those Who Serve The Very Best"®



1954



1990



Celebrating **90** Years

**PRICE LIST EFFECTIVE APRIL 1, 2021
TO AUGUST 31, 2021**

Prices and specifications subject to change without notice.
All orders accepted subject to government regulations and
conditions beyond manufacturers control.
Terms: Net 30 Days FOB Factory.

1-800-KEATING
keatingofchicago.com
Made in the USA

Since 1931

“IN 1931, MY GRANDFATHER, RICHARD KEATING, WORKED FOR A FRYER MANUFACTURER. IT WAS THE MIDDLE OF THE GREAT DEPRESSION AND TIMES WERE TOUGH.”

The company wanted their salesmen to bring each written order back to their office, making it very hard to sell and make any money. My father, Richard T. Keating, II (Dick), had just graduated from Johns Hopkins University with a degree in Mechanical Engineering. It was my grandfather's idea that my father could design a better fryer and he would sell it. So my father stayed in Chicago designing equipment and running the manufacturing end while my grandfather went on the road from Chicago to Baltimore selling Keating equipment.


Our product line began to incorporate more equipment and Keating's presence in the industry was established. Today we are known for high performance, quality and durability in all of our products. We are proud to be a family-owned business entering into our 90th year.

- Eliza Keating



Keating Instant Recovery® Fryer advertising from 1953, featuring Dick Keating and Eddie Ireland of Ireland's Oyster House fame.

Keating Timeline





QUICK SHIP
PROGRAM

We Can Ship It Right Now!

The products listed below are in stock and ready to ship

FRYERS:

036350	10x11CM NAT GAS
036435	10x11AA NAT GAS
062183	10x11TS NAT GAS
032891	14AA NAT GAS
032895	18AA NAT GAS
060860	14BB NAT GAS
038471	18BB NAT GAS
062203	20BB NAT GAS, 2" DRAIN
061202	24BB NAT GAS
038232	14TS NAT GAS
061204	18TS NAT GAS
061071	20TS NAT GAS
038472	24TS NAT GAS
061218	34x24BB NAT GAS
036729	10x11TS 480/3
036560	14CM TS 208-240/3
036381	14BB 208-240/3
039348	14TS 208-240/3
052905	20TS 208-240/3
036954	20TS 480/3
036515	24TS 208-240/3

PASTA

017251	14 PASTA NAT GAS
014300	18 PASTA NAT GAS
018669	20 PASTA NAT GAS
025786	24 PASTA NAT GAS
001846	14 PASTA 208-240/3

BASKET RACKS:

010434	18"
003915	24"
003916	32"

FILTERS:

037233	LB165
037260	LB200
034321	SE14
034849	SE18
054310	SE24
036613	SE34x24

KEEP KRISP FOOD WARMERS:

001894	1LX
002211	2LOR
001939	2LB
001982	4LB
007737	2LCF
007738	3LCF
001977	4L
002021	6LB

SALTING & BAGGING STATIONS:

036033	36" dump right
036034	36" dump left

PREP & SERVICE AREA:

033341	18"
--------	-----

GRIDDLES:

032918	24x30 FRT TR NAT GAS
032921	36x30 FRT TR NAT GAS
034080	36x36 FRT TR NAT GAS
033364	42x24 NAT GAS
032269	42x30 NAT GAS
033960	42x30 FRT TR NAT GAS
032923	48x30 NAT GAS
032885	48x30 FRT TR NAT GAS
033267	48x36 FRT TR NAT GAS
032924	60x30 NAT GAS
032925	60x30 FRT TR NAT GAS
032926	72x30 NAT GAS
032927	72x30 FRT TR NAT GAS
033438	72x36 FRT TR NAT GAS
032189	24x30 FRT TR 208-240/3
034170	27x24 208-240/3
033022	36x24 208-240/3
032187	36x30 208-240/3
033104	36x30 FRT TR 208-240/3
033464	36x36 FRT TR 208-240/3
033107	48x30 208-240/3
033660	48x30 FRT TR 208-240/3
033243	48x36 FRT TR 208-240/3
033292	60x30 208-240/3
039580	72x36 FRT TR 208-240/3

NOTE: Non-stock and custom orders will be confirmed with estimated ship date upon receipt of purchase order.

Instant Recovery® is our trademark

The most important feature of any fryer is recovery time, and Keating's INSTANT RECOVERY® trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and large heat transfer surfaces assures quality foods every time.



MODEL AA (Gas Only)

- Available in gas only
- On-Off Switch
- Millivolt system
- Stainless Steel thermostat
- No electric connections required (except for batteries with filters)



MODEL BB

- Power-On Switch
- Power-On Indicating Light
- Built-in Melt Cycle
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)



MODEL TS

- Power Switch
- Pilot-on Indicating Light (Gas)
- Built-in Melt Cycle
- Ready to Cook light
- Over Max Temp safety light
- Two digital solid state timers
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)

Use less BTU's

Our atmospheric fryers have been redesigned to use less BTU's and still have the same performance levels. Why did we do this? To save our customers \$\$ in gas consumption.

STANDARD FEATURES:

- Stainless Steel vessel and cabinet
- Stainless Steel heat transfer tubes or heating elements
- Stainless Steel thermostat
- Spark Ignition (BB and TS Gas Models)
- Extra large Cold Zone
- Stainless Steel High Limit control
- One pair of baskets
- Grid Screen over tubes
- Temperature control system $\pm 2^\circ\text{F}$
- 3/4" gas connection on single fryers
- Safety pilot shut-off
- Full port front drain valve
- Drain clean-out rod
- Legs with adjustable feet
- 35" working height on floor models
- Sample of Keating Klenzer

Save on oil

Keating Instant Recovery® fryers are designed to fry at lower temperatures, between **325°F** and **335°F**, reducing oil breakdown. They are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs/debris. These features plus our filtering systems extend the life of your fat up to 30%.

OPTIONS:

- Fryers battered at no additional charge
- Common gas manifold for batteries at no additional charge
- Cooking computer
- Basket-Lift on 14 TS thru 24 TS fryers
- Stainless Steel drainboards on fryer batteries (Call for pricing)
- Filter choices: Central, Portable, Safe & Easy® Under Fryer
- 2" extra large drain valve on 18" or larger fryers, single units only (see pages 7 - 9)
- Front extensions to match larger fryers (Call for pricing)
- Manufactured gas models
- Polyurethane casters with brakes
- Security package
- 480 voltage available
- Single Phase Models available
- Drain Extension

Counter Models Fryers

For kitchens with space limitations, the Keating Instant Recovery® Counter Model is the perfect solution. The counter model has the same energy input and production capacity as its floor model counterparts.

CAPACITIES/PER HOUR

Model 10x11 CM:
40 lbs. of frozen french fries

Model 14 CM:
48 lbs. of fresh hand cut french fries
72 lbs. of frozen french fries
75 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod, 1" x 11-1/2" drain extension and sample of Keating Klenzer



GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 CMG	036350	54,000	036459	50,000	26 lbs.	10 3/4" x 11 3/4"	27 3/8"	25 1/4"	12 3/8"	120 lbs.	\$3,789
14 CMG	032167	87,000	033367	90,000	38 lbs.	14" x 14"	27 3/8"	27 1/2"	15 3/8"	140 lbs.	\$5,590

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL				Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 CMBB 208-240/3	036429	240V 8.9 kW	21-21-21 Amps	30 lbs.	10 3/4" x 11 3/4"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$4,516
10x11 CMBB 480/3	036399	480V 8.9 kW	11-11-11 Amps	30 lbs.	10 3/4" x 11 3/4"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$5,193
10x11 CMTS 208-240/3	036476	240V 13.6 kW	33-33-33 Amps	30 lbs.	10 3/4" x 11 3/4"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$5,560
10x11 CMTS 480/3	036405	480V 13.6 kW	16-16-16 Amps	30 lbs.	10 3/4" x 11 3/4"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$6,394
14 CMBB 208-240/3	036390	240V 15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$6,628
14 CMBB 480/3	036392	480V 15.5 kW	19-19-19 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,622
14 CMTS 208-240/3	036560	240V 23.2 kW	56-56-56 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,601
14 CMTS 480/3	036391	480V 23.2 kW	28-28-28 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$8,741



*1 phase available at no extra cost - call for amp rating.

OPTIONS:

- Computer (CPU), only on CMTS (Electric)\$1,484
- Security Package \$612


10x11CM ACCESSORIES:

- 061595, Basket, 10x11 4M Split
11 1/4" L x 5" W x 4 1/2" D, 4 lbs. \$275.00
- 004392, Connecting Strip, 10 x 11
(no charge with fryer), 1 lb. \$40.00
- 004739, Cover Flush for Fryer, 10 x 11, 3 lbs. \$122.00
- 004622, Drain Clean-Out Rod, 1 lb. \$33.00
- 017396, Flue Deflector, 10x11, 1 lb. \$51.50
- 004612, Screen, 10x11 Grid, 1 lb. \$51.00


14CM ACCESSORIES:

- 038502, Basket, 14 4M Split (straight handle)
13 1/4" L x 6 1/2" W x 6" D, 3 lbs..... \$120.00
- 004817, Basket, 14 4M Triple
13 1/4" L x 4 1/2" W x 5 1/4" D, 2.5 lbs. \$193.25
- 003880, Connecting Strip, 14 (no charge with fryer), 1 lb. \$50.00
- 004736, Cover Flush for Fryer, 14, 4 lbs. \$132.00
- 037570, Cover Flush for Basket-Lift Fryer, 14, 4 lbs. \$132.00
- 004622, Drain Clean-Out Rod, 1 lb. \$33.00
- 017397, Flue Deflector, 14, 1 lb. \$70.00
- 021095, Flue Deflector Basket-Lift, 14, 1 lb. \$70.00
- 004613, Screen, 14 Grid, 1 lb. \$54.85
- 061708, Screen, 14 Grid, S/S Pasta, 1 lb. \$163.00
- 004654, Skimmer \$21.00


14" MODELS



18" & 20" MODELS



24" MODELS



CASTER PLACEMENT

CASTER PLACEMENT

A = GAS OR ELECTRIC OR PASTA UNITS
 B = CENTRAL FILTERS OR SAFE & EASY® FRYER OR PASTA RINSE OR PREP
 B = CANNOT BE A SAFE & EASY® FRYER
 NO CANOPY, SPLASHBACK OR DRAINBOARD MAY BE OVER 126" IN LENGTH
 *Separate canopies and splashbacks for each section of the split. (This will ease the assembly and disassembly for both production and the customer's installation.) Separate common gas manifolds for both sections. (This will ease installation.)

10" x 11" Instant Recovery® Fryers

This high production fryer has a width of only 12 3/8" - ideal for kitchens with space constraints.

CAPACITIES/PER HOUR

40 lbs. of frozen french fries

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 AA	036435	54,000	036590	50,000	26 lbs.	10 3/4" x 11 3/4"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$3,609
10x11 BB	038675	54,000	036467	50,000	26 lbs.	10 3/4" x 11 3/4"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$4,468
10x11 TS	062183	54,000		50,000	26 lbs.	10 3/4" x 11 3/4"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$5,223

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL				Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036409 10x11 BB 208-240/3	240V	8.9 kW	21-21-21 Amps	30 lbs.	10 3/4" x 11 3/4"	46"	25 1/4"	12 3/8"	110 lbs.	\$4,516
036612 10x11 BB 480/3	480V	8.9 kW	11-11-11 Amps	30 lbs.	10 3/4" x 11 3/4"	46"	25 1/4"	12 3/8"	110 lbs.	\$5,193
036575 10x11 TS 208-240/3	240V	13.6 kW	33-33-33 Amps	30 lbs.	10 3/4" x 11 3/4"	46"	25 1/4"	12 3/8"	125 lbs.	\$5,560
036729 10x11 TS 480/3	480V	13.6 kW	16-16-16 Amps	30 lbs.	10 3/4" x 11 3/4"	46"	25 1/4"	12 3/8"	125 lbs.	\$6,394

*1 phase available at no extra cost - call for amp rating.



OPTIONS:

- Security Package \$612.00
- 039542, Casters (set of 4), 4 lbs. \$292.50



Drain Clean-Out Rod
004622

ACCESSORIES:

- 061595, Basket, 10x11 4M Split
11 1/4" L x 5" W x 4 1/2" D, 4 lbs. \$275.00
- 004392, Connecting Strip, 10 x 11
(no charge with fryer), 1 lb. \$40.00
- 004739, Cover Flush for Fryer, 10 x 11, 3 lbs. \$122.00
- 004622, Drain Clean-Out Rod, 1 lb. \$33.00
- 017396, Flue Deflector, 10x11, 1 lb. \$51.50
- 004612, Screen, 10x11 Grid, 1 lb. \$51.00

Fryers 14" Instant Recovery®

Keating's 14" Instant Recovery® Fryer has a polished stainless steel drawn pot with seamless covered corners and uses 24% less oil while giving the production of a 50 lb. fryer.

CAPACITIES/PER HOUR

- 48 lbs. of fresh hand cut french fries
- 72 lbs. of frozen french fries
- 75 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



14" TS Fryer shown with Basket-Lift option



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 AA	032891	87,000	032892	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	185 lbs.	\$4,860
14 BB	060860	87,000	038650	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	180 lbs.	\$6,137
14 TS	038232	87,000	033415	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	190 lbs.	\$7,129

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036381 14 BB 208-240/3	240V 15.5 kW 37-37-37 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$6,306
036537 14 BB 480/3	480V 15.5 kW 19-19-19 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$7,252
039348 14 TS 208-240/3	240V 23.2 kW 56-56-56 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$7,511
036965 14 TS 480/3	480V 23.2 kW 28-28-28 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$8,638



*1 phase available at no extra cost - call for amp rating.

OPTIONS:

- Basket-Lift (BL), TS Model\$2,040
- Computer (CPU), TS Model\$1,484
- Drainboard S/S (12"D) 1st fryer \$685
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)
- Flue Riser (17") \$347.00
- Safe & Easy® Ready (SE)** \$816.00
- Security Package \$612.00
- 039542, Casters (set of 4), 4 lbs. \$292.50

**See Safe & Easy® depths, page 12.



14 Grid Screen
004613

ACCESSORIES:

- 038502, Basket, 14 4M Split (straight handle)
13 1/4" L x 6 1/2" W x 6" D, 3 lbs..... \$120.00
- 004817, Basket, 14 4M Triple
13 1/4" L x 4 1/2" W x 5 1/4" D, 2.5 lbs. \$193.25
- 003880, Connecting Strip, 14 (no charge with fryer), 1 lb. \$50.00
- 004736, Cover Flush for Fryer, 14, 4 lbs. \$132.00
- 037570, Cover Flush for Basket-Lift Fryer, 14, 4 lbs. \$132.00
- 004622, Drain Clean-Out Rod, 1 lb. \$33.00
- 017397, Flue Deflector, 14, 1 lb. \$70.00
- 021095, Flue Deflector Basket-Lift, 14, 1 lb. \$70.00
- 004613, Screen, 14 Grid, 1 lb. \$54.85
- 061708, Screen, 14 Grid, S/S Pasta, 1 lb. \$163.00
- 004654, Skimmer \$21.00

18" Instant Recovery® Fryers

Keating's Instant Recovery® trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and heat transfer surfaces provides constant, accurate temperatures in the cooking zone, to assure quality foods every time.

CAPACITIES/PER HOUR

120 lbs. of frozen french fries
150 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



CPU Computer Option available on TS Models



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
18 AA	032895	134,000	033194	132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$6,551
18 BB	038471	134,000	038552	132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$7,717
18 TS	061204	134,000		132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	260 lbs.	\$8,200

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036411 18 BB 208-240/3	240V 21.4 kW 52-52-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs. \$8,416
036417 18 BB 480/3	480V 21.4 kW 26-26-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs. \$9,678
036276 18 TS 208-240/3	240V 28.6 kW 79-79-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs. \$9,715
036608 18 TS 480/3	480V 28.6 kW 39-39-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs. \$11,172



*1 phase available at no extra cost - call for amp rating.

OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)	
Drain Valve 2" Extra Large	\$636.00
Flue Riser (17")	\$356.00
Safe & Easy® Ready (SE)**	\$951.00
Security Package	\$612.00
039542, Casters (set of 4), 4 lbs.	\$292.50

**See Safe & Easy® depths, page 12.

ACCESSORIES:

019781, Basket, 18 4M Split (front and rear handles)	
16 7/8" L x 8 1/2" W x 5 7/8" D, 4.5 lbs.	\$329.50
016282, Basket, 18 4M Triple (2 hooks, front & rear handles)	
17" L x 5 1/2" W x 5 1/2" D, 4 lbs.	\$231.00
003877, Connecting Strip, 18 (no charge with fryer), 1 lb.	\$56.00
004735, Cover Flush for Fryer, 18, 4.5 lbs.	\$204.00
004622, Drain Clean-Out Rod, 1 lb.	\$33.00
017398, Flue Deflector, 18, 1 lb.	\$79.00
004614, Screen, 18 Grid, 2 lbs.	\$58.50
061709, Screen, 18 Grid, S/S Pasta, 2 lbs.	\$165.90

Fryers 20" Instant Recovery®

Keating's Instant Recovery®, high efficiency fryers are designed to fry at a lower temperature, between 325°F and 335°F, reducing oil breakdown.


CAPACITIES/PER HOUR

140 lbs. of frozen french fries
200 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



Flue Deflector



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
20 AA	032169	134,000	038451	132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,533
20 BB	061072	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,878
20 TS	061071	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	260 lbs.	\$9,473

ELECTRIC MODELS

For Kw rating @ 208V, multiply by .752

MODEL				Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036389										
20 BB 208-240/3	240V 21.4 kW	52-52-52 Amps		110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$9,750
038327										
20 BB 480/3	480V 21.4 kW	26-26-26 Amps		110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$11,212
052905										
20 TS 208-240/3	240V 28.6 kW	79-79-52 Amps		110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$10,411
036954										
20 TS 480/3	480V 28.6 kW	39-39-26 Amps		110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$11,973

*1 phase available at no extra cost - call for amp rating.



OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685.00
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)	
Drain Valve 2" Extra Large	\$636.00
Safe & Easy® Ready (SE)**	\$951.00
Security Package	\$612.00
039542, Casters (set of 4), 4 lbs.	\$292.50

**See Safe & Easy® depths, page 12.

ACCESSORIES:

019782, Basket, 20 4M Split (front and rear handles) 19" L x 9 1/2" W x 5 1/2" D, 5.5 lbs.	\$271.50
003955, Connecting Strip, 20 (no charge with fryer), 1 lb.	\$59.00
004737, Cover Flush for Fryer, 20, 5.5 lbs.	\$222.50
004622, Drain Clean-Out Rod, 1 lb.	\$33.00
017399, Flue Deflector, 20, 1 lb.	\$85.00
004615, Screen, 20 Grid, 3 lbs.	\$100.00
004626, Screen, 20 Mesh, 3 lbs.	\$120.00
034785, Screen, 20 Grid, S/S Pasta, 3 lbs.	\$162.49

24" Instant Recovery® Fryers

Instant Recovery® fryers are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs and debris.

CAPACITIES/PER HOUR

200 lbs. of frozen french fries
250 lbs. of chicken

STANDARD ACCESSORIES

One pair 24 split baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition
is standard on
BB & TS Gas Models



Flush Cover



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
24 BB	061202	167,500	038582	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	375 lbs.	\$9,850
24 TS	038472	167,500	038554	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	380 lbs.	\$10,441

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036364 24 BB 208-240/3	240V 28.6 kW 79-79-52 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs. \$10,872
038398 24 BB 480/3	480V 28.6 kW 39-39-26 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs. \$12,503
036515 24 TS 208-240/3	240V 35.7 kW 79-103-79 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs. \$11,708
036770 24 TS 480/3	480V 35.7 kW 39-52-39 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs. \$13,464

*1 phase available at no extra cost - call for amp rating.



OPTIONS:

Basket-Lift (BL), TS Model	\$2,040
Computer (CPU), TS Model	\$1,484
Drainboard S/S (12"D) 1st fryer	\$685
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)	
Drain Valve 2" Extra Large	\$636.00
Safe & Easy® Ready (SE)**	\$951.00
Security Package	\$612.00
039542, Casters (set of 4), 4 lbs.	\$292.50

**See Safe & Easy® depths, page 12.

ACCESSORIES:

062354 Basket, 24 Split (expanded metal, side handles)	
22 5/16" L x 10 5/16" W x 6 5/8" D, 5.3 lbs.	\$457.65
003976, Connecting Strip, 24 (no charge with fryer), 1 lb.	\$73.00
004738, Cover Flush for Fryer, 24, 6.1 lbs.	\$299.00
004622, Drain Clean-Out Rod, 1 lb.	\$33.00
017400, Flue Deflector, 24, 1 lb.	\$102.00
004617, Screen, 24 Grid, 4 lbs.	\$91.50
004623, Screen, 24 Mesh, 4 lbs.	\$74.99

Fryers 34" x 24" Instant Recovery®

Our largest capacity fryer, with enough space to cook 4 whole turkeys at the same time.

CAPACITIES/PER HOUR

270 lbs. of frozen french fries
300 lbs. of chicken

STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
34x24 BB	061218	201,000	038581	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	460 lbs.	\$13,087
34x24 TS	060896	201,000	060893	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	512 lbs.	\$13,685

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL				Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
038248										
34x24 BB	208-240/3	240V 35.7 kW	79-103-79 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$13,454
036532										
34x24 BB	480/3	480V 35.7 kW	39-52-39 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$15,472
036738										
34x24 TS	208-240/3	240V 42.8 kW	103-103-103 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$14,139
34x24 TS	480/3	480V 42.8 kW	52-52-52 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$16,260



*1 phase available at no extra cost - call for amp rating.

OPTIONS:

- Computer (CPU), TS Model \$1,484
- Safe & Easy® Ready (SE)** \$951.00
- Security Package \$612.00
- 039542, Casters (set of 4), 4 lbs. \$292.50

**See Safe & Easy® depths, page 12.



34x24 Fryer shown with Security Package option

ACCESSORIES:

- 062356, Basket, 34x24 Split (expanded metal)
22 1/4" L x 16 1/4" W x 6 5/16" D, 10 lbs. \$413.00
- 003976, Connecting Strip, 34x24 (no charge with fryer), 1 lb. \$73.00
- 001232, Cover Flush for Fryer, 34x24, 20 lbs. \$444.00
- 004622, Drain Clean-Out Rod, 1 lb. \$33.00
- 017401, Flue Deflector, 34x24, 1 lb. \$108.50
- 004639, Screen, 34x24 Grid, 10 lbs. \$229.49

Prep & Service Area

STANDARD FEATURES

- Stainless steel sides & back
- *With Bagging Station top

MODEL	PART NO.	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
10x11	005129	46 1/2"	35"	25 1/4"	12 3/8"	75 lbs.	\$2,000
14	052735	46 1/2"	35"	27 1/2"	15 3/8"	115 lbs.	\$2,045
18	033341	46 1/2"	35"	31 1/4"	19 3/8"	135 lbs.	\$2,161
20	039373	46 1/2"	35"	33 1/4"	21 3/8"	150 lbs.	\$2,225
24	005173	46 1/2"	35"	37 1/4"	25 1/2"	200 lbs.	\$2,595

OPTIONS:

- *Flat Top (available on request) **NO CHARGE**
- 007737, Keep Krisp® 2LCF (for 10x11, 14, 18 Models) **\$427**
- 007738, Keep Krisp® 3LCF (for 20, 24 Models) **\$620**
- 039542, Casters (set of 4), 4 lbs. **\$292.50**

14 Prep with Bagging Station top shown battered with two 14AA Instant Recovery® Fryers



Casters Optional

Salting & Bagging Station

STANDARD FEATURES

- Stainless steel sides, shelves & back

MODEL	PART NO.	Dump Side	No. of Lights	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
30 Bagging Station	036032	Dump Left	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
30 Bagging Station	036031	Dump Right	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
36 Bagging Station	036034	Dump Left	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780
36 Bagging Station	036033	Dump Right	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780

NOTE: Specify left or right dump on order (facing equipment).



Casters Optional



OPTIONS:

- Flat Top **NO CHARGE**
- 039542, Casters (set of 4), 4 lbs. **\$292.50**

Portable Basket Rack


STANDARD FEATURES

- All stainless steel construction
- Price includes casters

NOTE:
Baskets Not Included

PART NO.	*Holds Amount of Baskets	Overall Height	Depth	Width	Ship Weight	LIST PRICE
010434	18	63 1/4"	25 1/4"	15 1/2"	155 lbs.	\$3,315
003915	24	57 1/4"	27 1/2"	22 1/4"	180 lbs.	\$3,668
003916	32	57 1/4"	27 1/2"	29 1/2"	220 lbs.	\$5,235

*Amount based on 14" Split Baskets - Baskets not included



Fryers Filter Systems



Casters on Fryer Optional

STANDARD FEATURES

- Available for all Keating floor model fryers - gas or electric
- Same height and depth as adjoining fryers
- Stainless steel perforated recessed bagging station above filter or flat top
- Stainless Steel Cabinet
- Stainless Steel filter drawer and strainer basket
- Filters up to 6 fryers of same capacity with filter centrally located
- Hose with wand for discarding oil
- Motor 1/3 HP with capacitor start
- No Charge for piping 1 fryer in battery

OPTIONS

- Return line heaters for solid shortening
- Polyurethane casters with brakes
- Keep Krisp® food warmer
- Extra Stainless Steel Strainer Baskets

Safe & Easy® Central Filter Systems

Filters up to 6 fryers of the same capacity with filter centrally located. For use with liquid shortening only.

MODEL	Oil Capacity (Liquid Only)	Voltage	HP	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
SE14CF	50 lbs.	120	1/3	5.6	46"	31 1/4"	15 3/8"	170 lbs.*	\$7,200
SE18CF	90 lbs.	120	1/3	5.6	46"	35 1/4"	19 3/8"	190 lbs.*	\$8,194
SE20CF	120 lbs.	120	1/3	5.6	46"	37 1/4"	21 3/8"	210 lbs.*	\$8,246
SE24CF	160 lbs.	120	1/3	5.6	46"	41 1/4"	25 3/8"	230 lbs.*	\$8,565
SE34x24CF	210 lbs.	120	1/3	6	46"	41 1/4"	35 3/8"	250 lbs.*	\$9,383

*Shipped in Battery



SAFE & EASY® CENTRAL FILTER OPTIONS:

Each additional fryer to be filtered:

- SE14CF \$770
- SE18CF, SE20CF, SE24CF, SE34x24CF \$897
- Heat Tape (for solid shortening), per unit \$250
- 007737, Keep Krisp® 2LCF (for SE14CF, SE18CF models) \$427
- 007738, Keep Krisp® 3LCF (for SE20CF, SE24CF, SE34x24CF models) \$620
- 039542, Casters (set of 4), 4 lbs. \$292.50



Safe & Easy® Under Fryer Filter

Keating's space-saving Safe & Easy® filter gives you all the advantages of a central filter with the convenience of a portable. No extra storage area is needed since it fits completely under a Safe & Easy® fryer of the same size.

MODEL	PART NO.	Oil Capacity (Liquid Only)	Voltage	HP	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
SE14	034321	50 lbs.	120	1/3	6	17 7/8"	29 7/8"	12 7/8"	130 lbs.	\$7,200
SE18	034849	90 lbs.	120	1/3	6	15 3/8"	34 5/8"	17"	155 lbs.	\$8,194
SE20	034819	120 lbs.	120	1/3	6	15 3/8"	36 5/8"	19"	160 lbs.	\$8,246
SE24	054310	160 lbs.	120	1/3	6	15 3/8"	40 5/8"	23"	175 lbs.	\$8,565
SE34x24	036613	210 lbs.	120	1/3	6	15 1/2"	40 5/8"	32 1/4"	200 lbs.	\$9,383



SAFE & EASY® UNDER FRYER FILTER OPTIONS:

Each additional fryer to be filtered:

- SE14 \$770
- SE18, SE20, SE24, SE34x24 \$897

Portable Filter

STANDARD FEATURES

- Stainless Steel cabinet and vessel
- Seamless drawn stainless steel vessel on LB units
- Built-in Melt Cycle
- Heavy duty handle
- 5 ft. hose with swivel handle and stiffener spring
- Removable 6 ft. cord with plug on LB units
- Polyurethane casters
- Strainer Basket S/S
- Filter cover on LB units

OPTIONS

- Two way pump on LB units
- Extra Baskets (Stainless Steel)
- Filter cover PC 14



MODEL	PART NO.	Oil Capacity	Voltage	HP	AMPS 1Ø	Overall Height	Tub Height	Depth	Width	Ship Weight	LIST PRICE
LB165	037233	165 lbs.	120	1/3	9.6	22 3/8"	12 5/8"	37 3/8"	28 3/8"	220 lbs.	\$5,286
LB200	037260	200 lbs.	120	1/3	9.6	22 5/8"	14 1/8"	39 3/8"	30 3/8"	275 lbs.	\$5,539



PORTABLE FILTER OPTIONS:

- Two Way Pump (Fryers without drain)
 LB165, LB200 **\$250**

Acidox Powder



STANDARD ACCESSORIES - All Filters

All Keating filters are shipped with one package of 60 filter papers and one carton of 60 individual packages of Acidox Filtering Compound - equivalent to a 30 day supply.

FILTER ACCESSORIES:

- 037524**, ACIDOX Powder (filter aid)
 30 lb. box (60 8 oz. packages), 30 lbs. **\$127.00**

FILTER PAPER

- SE 14, CF 14, UFF 14
058779, Package of 60, 15" x 21 7/8", 3 lbs. **\$102.00**
 SE 18, CF 18, UFF 18, SE 20, CF 20, UFF 20, PC 14
058780, Package of 60, 19" x 28", 4 lbs. **\$125.00**
 SE 24, CF 24, UFF 24, LB165 & LB200
058781, Package of 60, 25" x 32", 6 lbs. **\$169.00**
 SE 34x24, CF 34x24, UFF 34x24
058782, Package of 60, 33" x 32", 8 lbs. **\$197.00**
 LB100
058783, Pkg of 60, 14" Round with tabs (thick paper), 4 lbs. **\$77.50**

EXTRA S/S STRAINER BASKETS

- SE14 **\$224.00**
 SE18 **\$257.50**
 SE20 **\$257.50**
 SE24 **\$262.00**
 SE34x24 **\$272.50**

Over 100 Models are available. Call 1-800-KEATING for information on models not shown. Custom units are available.



NSF

2 LCF

Two lights, mounted on equipment. Also available with three bulbs.



NSF

3 LB

Three lights, bar mounted. Also available with 2, 4, 6 or 8 bulbs.



ETL Intertek 5902091

ETL Intertek 5902091

NSF

6 LR2

Six lights, mounted on closed circular structure. Also available with 4, 8, 10, 12 and 14 bulbs.

KEEP KRISP® BULBS, PANS AND SCREENS

- 000408, Bulb, 120V 250 Watt - White, 1 lb. \$19.98
- 000409, Bulb, 120V 250 Watt - Red, 1 lb. \$32.95
- 000411, Bulb, 120V High Input 375 Watt - Red, 1 lb.
(Cannot be used with Bulb Protector) \$57.86
- 000418, Bulb Protector, 1 lb. \$17.20
- 000444, Pan 12" x 20" x 2", Aluminum, 2 lbs. \$57.31
- 000449, Pan 18" x 26", Aluminum, 8 lbs. \$55.25
- 000447, Screen Perforated, 12" x 20" S/S, 2 lbs. \$78.29



Bulbs



Bulb Protector



Pan



S/S Perforated Screen

Keating Klenzer & Sea Powder

Keating Klenzer

The finest dry stainless steel polish gives dingy, dull stainless steel a dazzling new luster! Keating Klenzer is the only cleaner that lasts longer, cleans better and leaves no sticky residue, unlike other liquid products.

Stainless steel owes its sheen to fine light-reflecting scratches. When these become filled with grease, soap, dust or other particles, stainless steel loses its natural sparkle. Keating Klenzer reaches deep into these fine grooves and lifts out dulling dirt, restoring the original sparkling gleaming finish.

Sea Powder

Cleans deep fryers when used with boiling water and softens carbonized grease for easy removal. If used weekly, your Keating fryer will be in perfect condition for years. Daily cleaning is even better. No caustic ingredients. Excellent for cleaning greasy floors, exhaust hoods and walls.



KEATING KLENZER

- 038261, Keating Klenzer
Case of 12, 14 oz. cans, 13 lbs. \$60.00

SEA POWDER

- Sea Powder, Case of 4, 8 lb. jars, 34 lbs. per case
- 000394 (1-5 cases) \$186.25
- 000395 (6+ cases) \$158.95

DESIGN YOUR OWN CUSTOM WORKSTATION

Custom workstation shown with a 14 TS Counter Model Instant Recovery® Fryer, 48" Miracleclean® Griddle and a MG2 Hotplate on a stand with casters.



DESIGN YOUR COMBINATION WITHOUT WORRYING ABOUT FIT

Ideal for the single operator or satellite locations, the Keating Custom Line Up is a complete cooking station on one stand. Each station is designed to be versatile and efficient to allow you to prepare a full menu of items in one centralized location. Everything from Miracleclean® Griddles and Custom Pasta Systems to Bain Maries and cutting boards are available. And because you can choose the combination needed you won't have to worry about fit and finishes of different brands.

Some popular Keating Custom Line Ups include: Bain Maries, Hot Plates, Custom Pasta™ Systems, Counter Model Instant Recovery® Fryer, Miracleclean® Griddles and Top-Side™ Cookers.

Let Keating Help You Choose the Right Equipment for Your Needs



With so many sizes and options available, Keating can help you choose the right equipment for your needs, or we can customize your Miracleclean Griddle® or Instant Recovery® Fryer system.

Two 14 TS Fryers each with the Basket-Lift option, optional casters and a Safe & Easy® Under Fryer Filter.

MIRACLEAN®

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.

Trivalent Chromium surface - foods cook faster at a lower temperature

- #1 In Customer Satisfaction
- Reduces energy use by up to 32%
- Cooler Kitchen
- Easy Clean Up
- No Flavor Transfer
- Over 300 Model Variations
- Foods Cook Faster with Less Shrinkage



36" x 30" Griddle shown with Optional Stand with Casters and Streaked Section

STANDARD FEATURES

- Easy clean up
- Miraclean® surface reduces heat loss, assures even heat distribution throughout cooking area
- Trivalent chromium surface on high carbon 3/4" steel plate
- 208-240V three phase input on electric griddles
- 100% safety pilot shut-off
- Stainless Steel cabinet
- 2" front trough, 3" left side trough
- Stainless Steel grease drawer with handle
- 4 1/2" high back splash

OPTIONS

- Additional thermostats for gas models
- High input electric elements
- 480 voltage on electric models
- Trough options: 3" right side with 2" front
- Cutting board options: Richlite, Stainless Steel
- Plate shelf
- Belly bar
- Drop-in Griddles
- Streaker Griddles - Groove is 5/16" wide, 1 or 2 streaks per inch
- Security package
- Adjustable Stainless Steel Legs
- Stainless Steel stand with shelf and casters
- Top-Side™ Cooker attachment (auto & manual)
- Available in 24", 30" and 36" depth sizes



STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenszer

NOTE:

Keating can customize any size not shown if previously manufactured. Please call **1-800-KEATING** for quotes. Please have serial # of existing unit.

ACCESSORIES:

002416 , Connecting Strip 30" deep griddle (no charge with griddle)	\$72.50
005247 , Connecting Strip 36" deep griddle (no charge with griddle)	\$72.50
009334 , Cutting Board Hinge (set of 2)	\$240.00
004894 , Palmetto Brush	\$31.00
004889 , Scraper (Heavy Duty)	\$28.15
SCRAPER BLADES (10 per package)*	
004900 , 1-9 packages, 1 lb.	\$33.00
004898 , 10-24 packages, 1 lb.	\$27.90
004899 , 25-49 packages, 1 lb.	\$26.20
004891 , Hamburger Spatula, 4" wide, 2 lbs.	\$51.59
018716 , Egg Turner Spatula, 3" wide, 2 lbs.	\$49.00
018912 , Streaker Scraper for streaks 1 per inch, 1 lb.	\$58.55
018913 , Streaker Scraper for streaks 2 per inch, 1 lb.	\$58.55
038522 , Top-Side™ Cooking Sheets (12 per pkg.)	\$412.00

*1 box = 10 tubes of blades.

Griddles Gas

MIRACLEAN®

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.




48"x30" Griddle shown.
Stand with Casters or 4" Legs
and Streaked Sections are Optional.

FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24
LIST PRICE	\$8,217	\$7,735	\$8,509	\$7,976	\$8,773	\$9,108	\$10,017	\$10,274	\$10,664	\$11,697	\$14,622	\$11,250
BTU INPUT (NAT GAS)	032918 60,000	033356 60,000	033120 60,000	032279 60,000	033093 60,000	032919 60,000	032920 60,000	033139 60,000	032188 60,000	032921 90,000	034080 109,500	033364 90,000
BTU INPUT (LP GAS)	035281 60,000	035991 60,000	039552 60,000	033406 60,000	033667 60,000	039394 60,000	034048 60,000	033412 60,000	033138 60,000	034057 90,000	036757 109,500	039316 90,000
PLATE WxD	24"x24"	24"x18"	27"x18"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"
BELLY BAR	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437
CUTTING BOARDS (8" deep)	\$527	\$527	\$527	\$527	\$527	\$636	\$636	\$674	\$674	\$674	\$674	\$833
Richlite	014901	010432	010432	010432	010432	014287	014287	008035	008035	008035	008035	015066
Stainless Steel 14 gauge	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889
	031116	010255	010255	010255	010255	009237	009237	001263	001263	001263	001263	009238
EXTENDED FLUE (Up To 12" H)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889
Stainless Steel 14 ga. (with outrigger legs)	031100	017199	017199	017199	017199	013311	013311	008193	008193	008193	008193	009239
SECURITY PACKAGE	\$612	\$612	\$612	\$612	\$612	\$771 036973	\$771 036973	\$779 034285	\$779 034285	\$779 034285	\$779 034285	\$973 036209
STAND WITH CASTERS	\$1,552	\$1,552	\$1,552	\$1,552	\$1,552	\$1,635	\$1,635	\$1,725	\$1,725	\$1,725	\$1,725	\$1,795
Stainless Steel w/shelf	032544	050613	050613	050598	050598	050599	050599	050616	032545	032545	050643	050617
THERMOSTAT KNOB GUARD	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437
	051265	051266	051266	051266	051266	051267	051267	051269	051269	051269	051269	051270
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	2	2	2	2	2	2	2	2	2	3	3	3
THERMOSTATS	2	2	2	2	2	2	2	2	2	2	2	2
Additional thermostats - \$768.50 each												
SHIP WEIGHT	265 lbs.	255 lbs.	255 lbs.	285 lbs.	285 lbs.	310 lbs.	380 lbs.	290 lbs.	340 lbs.	420 lbs.	455 lbs.	425 lbs.




STANDARD ACCESSORIES
Keating Scraper and blades, Hamburger Spatula,
Egg Turner Spatula, Palmetto Brush and Keating Klenzer

Gas Connection, bottom \$250.00



Belly Bar option- Stainless Steel



Cutting Boards - 8" deep in Richlite or 14 gauge Stainless Steel options



Plate Shelf option - Shown with Richlite Cutting Board

FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	60x36FT	72x30	72x30FT	72x36FT
LIST PRICE	\$11,598	\$12,757	\$12,328	\$12,710	\$13,980	\$17,475	\$14,962	\$16,459	\$20,574	\$18,247	\$20,071	\$25,120
BTU INPUT (NAT GAS)	032269 90,000	033960 90,000	033131 120,000	032923 120,000	032885 120,000	033267 146,000	032924 150,000	032925 150,000	033269 182,500	032926 180,000	032927 180,000	033438 219,000
BTU INPUT (LP GAS)	034082 90,000	039508 90,000	036318 120,000	033407 120,000	034038 120,000	033966 146,000	033048 150,000	034040 150,000	036351 182,500	033320 180,000	032976 180,000	033439 219,000
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$437	\$437	\$460	\$460	\$460	\$460	\$543	\$543	\$543	\$613	\$613	\$613
CUTTING BOARDS (8" deep)	\$833	\$833	\$865	\$865	\$865	\$865	\$1040	\$1040	\$1040	\$1160	\$1160	\$1160
Richlite	015066	015066	007772	007772	007772	007772	015074	015074	015074	014866	014866	014866
Stainless Steel 14 gauge	\$889	\$889	\$920	\$920	\$920	\$920	\$1096	\$1096	\$1096	\$1,226	\$1,226	\$1,226
	009238	009238	007693	007693	007693	007693	007837	007837	007837	007692	007692	007692
EXTENDED FLUE (Up To 12" H)	\$889	\$889	\$920	\$920	\$920	\$920	\$1096	\$1096	\$1096	\$1,226	\$1,226	\$1,226
LEGS 4" S/S (set of 4)	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50
	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$889	\$889	\$920	\$920	\$920	\$920	\$1096	\$1096	\$1096	\$1,226	\$1,226	\$1,226
	009239	009239	002704	002704	002704	002704	001223	001223	001223	007233	007233	007233
SECURITY PACKAGE	\$973	\$973	\$1018	\$1018	\$1018	\$1018	\$1,208	\$1,208	\$1,208	\$1,356	\$1,356	\$1,356
	036209	036209	032768	032768	032768	032768	034570	034570	034570	032766	032766	032766
STAND WITH CASTERS	\$1,795	\$1,795	\$1,954	\$1,954	\$1,954	\$1,954	\$2,357	\$2,357	\$2,357	\$2,642	\$2,642	\$2,642
Stainless Steel w/shelf	050601	050601	050618	050602	050602	050645	050603	050603	050646	050604	050604	050647
THERMOSTAT KNOB GUARD	\$437	\$437	\$460	\$460	\$460	\$460	\$543	\$543	\$543	\$613	\$613	\$613
	051270	051270	051271	051271	051271	051271	051272	051272	051272	051273	051273	051273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	3	3	4	4	4	4	5	5	5	6	6	6
THERMOSTATS	2	2	2	2	2	2	3	3	3	3	3	3
Additional thermostats - \$768.50 each												
SHIP WEIGHT	455 lbs.	455 lbs.	405 lbs.	485 lbs.	525 lbs.	600 lbs.	610 lbs.	720 lbs.	760 lbs.	730 lbs.	760 lbs.	845 lbs.



STANDARD ACCESSORIES
Keating Scraper and blades, Hamburger Spatula,
Egg Turner Spatula, Palmetto Brush and Keating Klenzer

Gas Connection, bottom \$250.00

Griddles Electric

MIRACLEAN®

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.



36" x 30" griddle shown with optional stand with casters.

FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24	
LIST PRICE	\$8,217	\$7,735	\$8,509	\$7,976	\$8,773	\$9,108	\$10,017	\$10,274	\$10,664	\$11,697	\$14,622	\$11,250	
KW INPUT @240V	7.1	5.5	5.5	7.1	7.1	7.1	7.1	8.2	10.7	10.7	13.4	10.9	
208-240/1 AMPS @240V	036256 30	036069 23		034097 30		033411 30	039385 30	034101 34	039398 45	039555 45		46	
208-240/3 AMPS @240V	032189 15-26-15	034170 11-20-11	036594 11-20-11	034123 15-26-15	036061 15-26-15	033399 15-26-15	035234 15-26-15	033022 20-20-20	032187 26-26-26	033104 26-26-26	033464 32-32-32	034063 30-30-20	
VOLTAGE 480	038523 \$9,450	035989 \$8,895		033242 \$9,785		034203 \$10,089	036115 \$10,474	039372 \$11,520	033423 \$11,815	039334 \$12,264	036336 \$13,452	\$16,815	\$12,938
HIGH INPUT Call for KW/Amp rating \$130 per heating element	036188 \$8,477			036715 \$8,239		036200 \$9,033				033037 \$11,054		N/A	\$11,770
PLATE WxD	24"x24"	24"x18"	27"x24"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"	
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"	
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"	
BELLY BAR	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437	
CUTTING BOARDS (8" deep)													
Richlite	\$527	\$527	\$527	\$527	\$527	\$636	\$636	\$674	\$674	\$674	\$674	\$833	
Stainless Steel 14 ga.	014901 \$553	010432 \$553	010432 \$553	010432 \$553	010432 \$553	014287 \$695	014287 \$695	008035 \$703	008035 \$703	008035 \$703	008035 \$703	015066 \$889	
Stainless Steel 14 ga.	031116 \$553	010255 \$553	010255 \$553	010255 \$553	010255 \$553	009237 \$695	009237 \$695	001263 \$703	001263 \$703	001263 \$703	001263 \$703	009238 \$889	
EXTENDED FLUE (Up To 12" H)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889	
LEGS 4" S/S (set of 4)	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	\$223.50	
Stainless Steel 14 ga.	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482	060482	
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$553	\$553	\$553	\$553	\$553	\$695	\$695	\$703	\$703	\$703	\$703	\$889	
Stainless Steel 14 ga.	031100	017199	017199	017199	017199	013311	013311	008193	008193	008193	008193	009239	
SECURITY PACKAGE	\$612	\$612	\$612	\$612	\$612	\$771	\$771	\$779	\$779	\$779	\$779	\$973	
Stainless Steel 14 ga.	036208					051633	051633	035284	035284	035284	035284	059754	
STAND WITH CASTERS Stainless Steel w/shelf	\$1,552	\$1,552	\$1,552	\$1,552	\$1,552	\$1,635	\$1,635	\$1,725	\$1,725	\$1,725	\$1,725	\$1,795	
Stainless Steel 14 ga.	032544	050613	050613	050598	050598	050599	050599	050616	032545	032545	050643	050617	
THERMOSTAT KNOB GUARD	\$275	\$275	\$275	\$275	\$275	\$357	\$357	\$360	\$360	\$360	\$360	\$437	
Stainless Steel 14 ga.	051265	051266	051266	051266	051266	051267	051267	051269	051269	051269	051269	051270	
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	
THERMOSTATS	2	2	2	2	2	2	2	3	3	3	3	4	
SHIP WEIGHT	255 lbs.	255 lbs.	255 lbs.	255 lbs.	285 lbs.	310 lbs.	310 lbs.	310 lbs.	350 lbs.	350 lbs.	455 lbs.	455 lbs.	



STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenser

Electric Griddles



Security Package option



Stand - Stainless Steel with shelf and casters options



Thermostat Knob Guard option

For kW rating @ 208V, multiply by .752

FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	60x36FT	72x30	72x30FT	72x36FT
LIST PRICE	\$11,598	\$12,757	\$12,328	\$12,710	\$13,980	\$17,475	\$14,962	\$16,459	\$20,574	\$18,247	\$20,071	\$25,120
KW INPUT @240V	14.3	14.3	10.9	14.3	14.3	17.9	17.9	17.9	22.3	21.4	21.4	26.8
208-240/1 AMPS @240V	038296 60	039414 60	036498 46	033368 60	033352 60	036497 75	034138 75	034211 75	93	036773 89	89	112
208-240/3 AMPS @240V	034027 39-39-26	033395 39-39-26	034081 30-30-20	033107 39-39-26	033660 39-39-26	033243 49-49-32	033292 40-52-40	034244 40-52-40	036268 49-64-49	033106 52-52-52	034010 52-52-52	039580 65-65-65
VOLTAGE 480	033450 \$13,338	036137 \$14,670	039524 \$14,177	035981 \$14,617	033431 \$16,077	036672 \$20,096	033370 \$17,206	036176 \$18,928	033459 \$23,660	036153 \$20,984	038417 \$23,082	036050 \$28,888
HIGH INPUT Call for kW/Amp rating \$130 per heating element	\$12,118	\$13,277	033467 \$12,848	033369 \$13,134	\$14,500	N/A	036187 \$15,612	036529 \$17,109	N/A	033962 \$19,027	036535 \$20,851	N/A
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$437	\$437	\$460	\$460	\$460	\$460	\$543	\$543	\$543	\$613	\$613	\$578
CUTTING BOARDS (8" deep)	\$833	\$833	\$865	\$865	\$865	\$865	\$1040	\$1040	\$1040	\$1160	\$1160	\$1160
Richlite	015066	015066	007772	007772	007772	007772	015074	015074	015074	014866	014866	014866
Stainless Steel 14 ga.	\$889 009238	\$889 009238	\$920 007693	\$920 007693	\$920 007693	\$920 007693	\$1096 007837	\$1096 007837	\$1096 007837	\$1160 007692	\$1160 007892	\$1160 007692
EXTENDED FLUE (Up To 12" H)	\$889	\$889	\$920	\$920	\$920	\$920	\$1096	\$1096	\$1096	\$1226	\$1226	\$1226
LEGS 4" S/S (set of 4)	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482	\$223.50 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$889 009239	\$889 009239	\$920 002704	\$920 002704	\$920 002704	\$920 002704	\$1096 001223	\$1096 001223	\$1096 001223	\$1226 007233	\$1226 007233	\$1226 007233
SECURITY PACKAGE	\$973 059754	\$973 059754	\$1018 035283	\$1018 035283	\$1018 035283	\$1018 035283	\$1208 035300	\$1208 035300	\$1208 035300	\$1,356 032984	\$1,356 032984	\$1,356 032984
STAND WITH CASTERS Stainless Steel w/shelf	\$1,795 050601	\$1,795 050601	\$1,954 050618	\$1,954 050602	\$1,954 050602	\$1,954 050645	\$2,357 050603	\$2,357 050603	\$2,357 050646	\$2,642 050604	\$2,642 050604	\$2,642 050647
THERMOSTAT KNOB GUARD	\$437 051270	\$437 051270	\$460 051271	\$460 051271	\$460 051271	\$460 051271	\$543 051272	\$543 051272	\$543 051272	\$613 051273	\$613 051273	\$613 051273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
THERMOSTATS	4	4	4	4	4	4	5	5	5	6	6	6
SHIP WEIGHT	455 lbs.	485 lbs.	485 lbs.	485 lbs.	485 lbs.	600 lbs.	610 lbs.	610 lbs.	650 lbs.	730 lbs.	760 lbs.	845 lbs.



STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

Top-Side™ Cooker

- Factory installed onto 30" deep griddles with 24" deep plate only

Surface area is 10 1/2" x 20", large enough to cook 8 quarter pound hamburgers. Micro Leveler manual height adjustment up to 1-1/2" above griddle plate. Manual lift is standard and Auto Lift option is available.

STANDARD FEATURES

- Trivalent chromium surface on high carbon 3/8" steel plate
- Stainless Steel finish
- Remote control box for each head
- Micro Leveler full head adjustment


OPTIONS

- Manual Lift Heads
- Auto Lift Heads
- Streaked surface
- Extra Cooking Sheets




Cook both sides of an item simultaneously - the Top-Side™ Cooker will cut your cooking time by up to 60%. Keating's Top-Side™ Cooker is designed to provide the best in speed and consistency that two-sided cooking offers. Ideal for high volume or limited kitchen space operations that require large quantities of food products to be cooked fast without sacrificing product quality, perfect for quick service restaurants and in fast-casual environments.

A free standing remote control box is included for each Top-Side™ Cooker Head. Easy to use, it includes an On/Off switch, "Element On" indicating light and an adjusting knob to select the desired temperature.



Manual Lift



Auto Lift Option



Remote Control Box

For kW rating @ 208V, multiply by .752

Description	PART NO.	kW 240V	AMPS 240V	Width	Depth	Thermostats	Ship Weight	LIST PRICE
Top-Side Cooking Head 208-240/1	033638	4.8	20	10 1/2"	20"	1	50 lbs.	\$6,670
Top-Side Cooking Head Auto Lift	033958	4.8	20	10 1/2"	20"	1	70 lbs.	\$8,692
Top-Side Mounting Assembly 24	033676			25"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 27	033677			28"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 30	033678			31"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 36	033679			37"	34 5/8"		70 lbs.	\$1,935
Top-Side Mounting Assembly 42	033680			43"	34 5/8"		90 lbs.	\$2,358
Top-Side Mounting Assembly 48	033681			49"	34 5/8"		90 lbs.	\$2,358
Top-Side Mounting Assembly 60	033682			61"	34 5/8"		110 lbs.	\$2,913
Top-Side Mounting Assembly 72	033557			73"	34 5/8"		120 lbs.	\$2,913

Each Auto Lift Top-Side™ Cooking Head requires a separate 120V power supply.



Top-Side™ Cooker(s) requires Mounting Assembly which will add depth to rear of griddle. Auto Lift Top-Side™ will add 6" depth to griddle and Manual Lift will add 4-3/4". Top-Side™ Cooker is usually positioned over element/thermostat of griddle. Depending on location, additional thermostats may be required on gas griddles. Call **1-800-KEATING** for assistance.

STANDARD ACCESSORIES

One Top-Side Cooking Sheet

OPTIONS:

- 007480, Streaks, 1 per inch\$60.00
- 017220, Streaks, 2 per inch\$60.00

ACCESSORIES:

- 038522, Cooking Sheets (12 sheets per pack)\$412

Drop-In Miraclelean® & Teppanyaki Griddles

Drop-In Miraclelean® Griddles

ALL THE SAME STANDARD MIRACLELEAN FEATURES - See page 17


OPTIONS

- Streaker griddle
- 480 voltage
- High input elements (electric)
- Trough options
- Additional thermostats for gas models
- Customized models

STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush & Keating Klenzer

Remote mount control panel cannot exceed 5". Cabinets must be reinforced to support the weight of the griddle and located under an exhaust hood for proper ventilation.



	27x31DI	36x25DI	36x31DI	42x31DI
LIST PRICE	\$8,774	\$11,301	\$11,731	\$12,758
BTU INPUT (NAT GAS)	034206 60,000	033661 55,000	035980 60,000	036937 90,000
BTU INPUT (LP GAS)	033978 60,000	034173 55,000	039456 60,000	90,000
KW INPUT @240V	7.1	8.2	10.7	14.3
208-240/3 AMPS @240V	035263 15-26-15	033996 20-20-20	033299 26-26-26	033342 39-39-26
VOLTAGE 480	036308 \$10,090	036410 \$12,996	034183 \$13,491	\$14,672
HIGH INPUT \$130 per heating element	\$9,034	\$11,691	\$12,121	\$13,278
PLATE WxD	24"x24"	33"x18"	33"x24"	39"x24"
OVERALL WIDTH	29"	38"	38"	44"
OVERALL DEPTH	31 1/2"	25 1/2"	31 1/2"	31 1/2"
CUT OPENING	26 3/4" x 29 1/4"	35 3/4" x 23 1/4"	35 3/4" x 29 1/4"	41 3/4" x 29 1/4"
FINISH OPENING	28" x 30 1/2"	37" x 24 1/2"	37" x 30 1/2"	43" x 30 1/2"
THERMOSTATS (GAS) Additional thermostats - \$768.50 each	2	2	2	2
THERMOSTATS (ELECTRIC)	2	3	3	4
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00
SHIP WEIGHT	275 lbs.	290 lbs.	345 lbs.	435 lbs.

*Call 1-800-KEATING for kW/AMP rating - For kW rating @ 208V, multiply by .752

Teppanyaki Griddle

STANDARD FEATURES

- Electric Only
- Sizes range from 24" x 24" to 72" x 30"
- Actual heating section is 24"W x 18"D
- Two high input elements rated at 240V
- Thermostatically controlled heating section, with one thermostat for each element

OPTIONS

- Stainless Steel Perimeter
- Front Trough
- Custom hole cut in plate
- Custom griddle style and configurations



NOTE: Customer must provide specifications and approve drawings.

MIRACLELEAN® Plate \$9.30 per square inch
 Front Trough \$779.00
 Heating Section 24" x 18" (electric only) \$3,226.00
 S/S Perimeter \$652.00
 Deposit to put order into production 50%
 Balance due to release shipment.

Pasta Custom Pasta System

STANDARD FEATURES

- Automatic water fill with manual override
- Patented cook cycle with dual thermostatic control
- Starch overflow drain
- Digital solid state timers, Indicating lights
- Stainless Steel High Limit control
- Stainless Steel heat transfer tubes & elements
- Stainless Steel thermostat and High Limit bulb
- Stainless Steel vessel and cabinet
- Stainless Steel grid screen and drain clean-out rod
- Low level water safety shut-off
- Full port front drain valve
- Full or Split perforated baskets

OPTIONS

- Basket-Lifts
- Common drain manifold
- Custom Pasta™ System batteried at no additional charge
- Drainboard
- Drop-ins on 14" only
- Faucet (Jointed Neck)
- Individual serving baskets
- Manual Fill
- 480 Voltage
- Rinse Tank
- Single Phase Models Available
- Water depth 7 1/2"



Casters Optional

GAS MODELS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 PASTA	017251	109,000	008020	109,000	5.5	46 1/2"	31 1/2"	15 3/8"	200 lbs.	\$8,247
18 PASTA	014300	135,000	039434	90,000	8.5	46 1/2"	33 1/2"	19 3/8"	235 lbs.	\$10,282
20 PASTA	018669	135,000	016111	90,000	13.5	46 1/2"	35 1/2"	21 3/8"	250 lbs.	\$11,734
24 PASTA	025786	165,000	028778	145,000	19.0	46 1/2"	39 1/2"	25 3/8"	300 lbs.	\$13,260



STANDARD ACCESSORIES

Full or split perforated baskets, grid screen, drain clean out rod and sample of Keating Klenzer

OPTIONS:

Basket-Lift (BL).....	\$2,040
Common drain manifold	
Battery of 2	\$373
Battery of 3	\$754
Drainboard S/S (12"D)* 1st pasta cooker	\$685
(On batteries, add \$15.00 for each additional drainboard inch after first pasta cooker)	
Faucet, S/S with Jointed Neck	\$575.00
Flue, 36" High	\$431.42
Manual Fill	NO CHARGE
Rinse Tank	
14 PASTA	\$3,832
18 PASTA	\$4,311
20 PASTA	\$4,427
24 PASTA	\$5,687
Rinse Tank Overflow Tube	\$236
Sauce Warmer, 14 PASTA Electric	\$4,119
480 Voltage 14 PASTA Electric	\$10,187
480 Voltage 18 PASTA Electric	\$12,397
480 Voltage 20 PASTA Electric	\$14,055
480 Voltage 24 PASTA Electric	\$16,293
Water Depth, 7 1/2", Additional Charge	
14 PASTA	\$560
18 PASTA	\$635
20 PASTA	\$635
24 PASTA	\$635
039542, Casters (set of 4), 4 lbs.	\$292.50

ACCESSORIES:

BASKETS

061852, 14 Bulk Pasta (cannot be used with Basket-Lift)	
12 3/8" L x 12 3/8" W x 5 3/8" D, 4 lbs.	\$523.00
061725, 14 Split Pasta,	
11 7/8" L x 6 1/4" W x 5 3/8" D, 3 lbs.	\$298.39
061854, 18 Bulk Pasta (cannot be used with Basket-Lift)	
15 3/8" L x 15 3/8" W x 5 3/8" D, 8 lbs.	\$604.00
061798, 18 Split Pasta,	
15 3/8" L x 8" W x 5 3/8" D, 4 lbs.	\$352.00
061856, 20 Bulk Pasta (cannot be used with Basket-Lift)	
17 5/8" L x 18 5/8" W x 5 3/8" D, 9 lbs.	\$710.00
061810, 20 Split Pasta,	
17 5/8" L x 9 1/4" W x 5 3/8" D, 5 lbs.	\$372.00
061839, 24 Split Pasta,	
21 5/8" L x 11 1/4" W x 5 3/8" D, 7 lbs.	\$530.00

S/S INDIVIDUAL SERVING HOLDER

036605, 2" x 4" x 5"	\$113.95
061858, 4" x 4" x 5", 2 lbs.	\$123.85
061837, 4" x 4" x 7 1/2", 2 lbs.	\$180.89
061786, 5" L x 6" W x 5" D with hook, 2 lbs.	\$208.29
061788, 6" L x 6" W x 5" D, 2 lbs.	\$198.75
061834, Round, 5 1/2" W x 7" D, 2 lbs.	\$211.49

*PASTA CAROUSEL

018207, 14 Full Custom Pasta Carousel (holds 9), 4 lbs.	\$342.20
018873, 18 & 20 Full Custom Pasta Carousel (holds 16)	\$492.00
005253, Custom Pasta System Pockets, 1/2 lb.	\$16.29


STAINLESS STEEL SCREEN

061708, 14 Grid S/S Pasta, 1 lb.	\$163.00
061709, 18 Grid S/S Pasta, 2 lbs.	\$165.90
034785, 20 Grid S/S Pasta, 2 lbs.	\$172.24
061710, 24 Grid S/S Pasta	\$175.00

PASTA SENSOR BRUSH

009297, 1/4 lbs.	\$20.99
------------------------------	----------------

*Price without Pockets - Pockets sold individually



Keating 18" Custom Pasta shown with optional rinse tank, faucet with jointed neck and casters.

ELECTRIC MODELS

For kW rating @ 208V, multiply by .752

MODEL			Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
001846 14 PASTA 208-240/3	240V	15.5 kW	32-56-32 Amps	7	46"	31 1/2"	140 lbs.	\$8,858
001847 18 PASTA 208-240/3	240V	21.4 kW	52-52-52 Amps	10.6	46"	33 1/2"	215 lbs.	\$10,780
017635 20 PASTA 208-240/3	240V	21.4 kW	52-52-52 Amps	17	46"	35 1/2"	235 lbs.	\$12,222
032840 24 PASTA 208-240/3	240V	28.6 kW	79-79-52 Amps	24	46"	39 1/2"	285 lbs.	\$14,468

Custom Drop-In Fryers & Custom Pasta System

STANDARD FEATURES

- Built-in Melt Cycle
- Stainless Steel vessel
- Stainless Steel heat transfer tubes or heating elements
- Stainless Steel High Limit control
- Stainless Steel thermostat
- Extra large Cold Zone
- Split Baskets or Full-Size Basket
- Grid Screen
- Temperature control system $\pm 2^{\circ}\text{F}$
- 100% safety pilot shut-off
- Full port front drain valve
- Drain clean-out rod
- 208-240V three phase input on electric models

OPTIONS

- 480 Voltage is available
- Portable Filter
- Digital Solid State Timer
- Extra large drain on 18" models
- Drain Extension

NO CHARGE OPTIONS

- Single Phase
- LP Gas



GAS UNITS

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS BTU	Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
10x11 BBDI	036479	54,000	50,000	26 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$4,021
14 BBDI	036058	87,000	90,000	38 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,523
14 PASTA DI	026817	109,000	109,000	5.5 gal	14" x 14"	26"	14 3/4"	125 lbs.	\$9,072

ELECTRIC UNITS

For kW rating @ 208V, multiply by .752

MODEL				Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
036395 10x11 BBDI 208-240/3	240V	8.9 kW	22-22-22 Amps	30 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$4,064
037568 14 BBDI 208-240/3	240V	15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,675
008448 14 PASTA DI 208-240/3	240V	15.5 kW	33-56-33 Amps	7 gal.	14" x 14"	26"	14 3/4"	125 lbs.	\$9,744



Accessories Heating Equipment

Bain Marie / Hot Food Well

STANDARD FEATURES

- Compact design
- 9" deep Stainless Steel well, cabinet
- Polished Stainless Steel backsplash and canopy
- Full port front drain valve
- Easy draining and cleaning
- 12"x20" well opening holds standard full, double or triple sized pans
- Adjustable temperature control



For kW rating @ 208V, multiply by .752

MODEL	Voltage	kW Input @240V	AMPS @240V	Height	Width	Depth	Thermostats	Ship Weight	LIST PRICE
B1	120	1.1	9	16 5/8"	13"	30 3/8"	N/A	60 lbs.	\$1,635
B2 HI	240	1.8	9	16 5/8"	13"	30 3/8"	No Charge	60 lbs.	\$2,074



Gas Hot Plate

STANDARD FEATURES

- Two and four burner models available
- Heavy duty burners
- Manual gas valve
- Stainless Steel Cabinet

OPTIONS

- Spark ignition

The Keating Hotplate is available in gas only, with 2 or 4 burner models. Features include heavy duty burners with a manual gas valve, removable grates and drip pans, and stainless steel burners.



MG2 gas model

MODEL	NAT GAS PART NO.	LP GAS PART NO.	BTU Input	Height	Width	Depth	Spark Ignition	Ship Weight	LIST PRICE
MG2 30	032886	034037	30,000	16 5/8"	13"	30 1/2"	\$150	140 lbs.	\$1,250
MG4 30	033468		60,000	16 5/8"	26"	30 1/2"	\$300	160 lbs.	\$2,542



OPTIONS:

Spark Ignition

- MG2 \$160
- MG4 \$320

Acidox Powder	13	24" Gas & Electric	9
Bagging and Salting Station	11	34" x 24" Gas & Electric	10
Bain Marie	26	Griddles, MIRACLEAN®	17
Baskets		Accessories	17
Fryer.....	3, 5, 6, 7, 8, 9, 10	Drop-In.....	23
Pasta	24	Standard Gas	18, 19
Basket Rack - Portable.....	11	Standard Electric.....	20, 21
Belly Bars	18, 19, 20, 21	Standard Features/Options.....	17, 19, 21
Cancellation Charge.....	29	Teppanyaki.....	23
Caster Placement Battery Splitting.....	4	Top-Side™ Cooker	22
Cleaning Supplies.....	15	Griddle Stands	18, 19, 20, 21
Computer.....	3, 6, 7, 8, 9, 10	Hot Plate	26
Cooking Sheets	17, 22	Keep Krisp® Accessories.....	15
Counter Hot Food Warmers	14, 15, 26	Keep Krisps®	14, 15
Counter Model Fryers.....	3	Klenzer (Keating).....	15
Covers - Flush.....	3, 5, 6, 7, 8, 9, 10	Custom Pasta™ System	24
Custom Line-Up	16	Accessories	24
Cutting Boards - Griddle	18, 19, 20, 21	Drop-In.....	25
Delivery Time	29	Faucet	24
Drop-In Equipment.....	23, 25	Rinse Tank.....	24
Filter Aid (Acidox) Filter Powder.....	13	Sauce Warmer	24
Filters	12	Plate Shelves	19, 21
Central (Safe & Easy®).....	12	Preparation and Service Area.....	11
Portable	13	Pricing Terms.....	29
Under Fryer (Safe & Easy®)	12	Quick Ship	i
Filter Paper and Supplies.....	13	Returns	29
Food Warmers	14, 15	Restocking Charge	29
Freight Class.....	29	Sales Policies.....	29
Fryer Grid Screens.....	3, 5, 6, 7, 8, 9, 10	Sales Representatives.....	28
Fryers, Instant Recovery®	2	Salting and Bagging Station	11
Accessories	3, 5, 6, 7, 8, 9, 10	Screens - Fryers.....	3, 5, 6, 7, 8, 9, 10
Counter Model	3	Screens - Keep Krisp®	15
Drop-In.....	25	Sea Powder	15
Models (AA, BB, TS).....	2	Shipping Information	29
10"x11" Gas & Electric	5	Terms and Conditions	29
14" Gas & Electric	6	Top-Side™ Cooker	22
18" Gas & Electric	7		
20" Gas & Electric	8		

Sales Representatives

To find a representative near you outside the US and Canada, call Keating of Chicago at + 1 (708) 246-3000 or visit us online at www.keatingofchicago.com

UNITED STATES

- 1 KEATING OF CHICAGO, INC.**
WASHINGTON, OREGON,
ALASKA, IDAHO,
MONTANA (Northwest)
CALL 1-800-KEATING
- 2 RESTAURANT EQUIPMENT PRO., INC.**
CALIFORNIA (Northern),
NEVADA (Northern)
(510) 785-5566 Hayward, CA
- 3 KEATING OF CHICAGO, INC.**
CALIFORNIA (Southern/L.A.),
NEVADA (Las Vegas)
CALL 1-800-KEATING
- 4 KEATING OF CHICAGO, INC.**
ARIZONA, COLORADO, MONTANA (East)
TEXAS (EI Paso), NEW MEXICO, and
WYOMING
CALL 1-800-KEATING
- 6 HOLLANDER COMPANY**
MINNESOTA, NORTH DAKOTA,
SOUTH DAKOTA, WISCONSIN (Western)
(952) 829-5500 Edina, MN
- 7 SELECT MARKETING & DISTRIBUTING**
IOWA, NEBRASKA, MISSOURI,
KANSAS, ILLINOIS (Southern)
(314) 961-3332 St. Louis, MO
(816) 474-4100 N. Kansas City, MO
- 8 BILL DICKIE ENTERPRISES**
TEXAS, OKLAHOMA
(972) 235-9946 Allen, TX
(281) 507-7859 Kingwood, TX
- 9 FOOD TECH GROUP, INC.**
MICHIGAN (Lower)
(248) 478-2240 Plymouth, MI
- 10 PAUL WOJCIK & ASSOCIATES, INC.**
WISCONSIN (East), MICHIGAN (Upper)
(708) 579-5567
- 11 KEATING OF CHICAGO, INC.**
ILLINOIS (Northern), HAWAII, UTAH
PUERTO RICO & ONTARIO CANADA
CALL 1-800-KEATING
- 12 THE CORE GROUP**
INDIANA
(800) 832-6442 Fishers, IN
- 13 DICK STANLEY & ASSOCIATES**
OHIO, KENTUCKY, PENNSYLVANIA
(Western), WEST VIRGINIA,
MARYLAND (Cumberland)
(614) 833-0797 Pickerington, OH
(440) 236-3902 Columbia Station, OH

- 14 STEFFAN ASSOCIATES**
ARKANSAS, LOUISIANA,
MISSISSIPPI, TENNESSEE (Western)
(901) 496-0119 Memphis, TN
(985) 626-4545 Mandeville, LA
- 15 MASTER MARKETING SOUTH**
GEORGIA, ALABAMA (Montgomery),
TENNESSEE (Eastern), and FLORIDA
(Panhandle), NORTH and
SOUTH CAROLINA
(404) 872-8135 Atlanta, GA
(615) 512-4875 Clifton, TN
(205) 910-3056 Hoover, AL
(704) 860-0092 High Shoals, NC
- 16 JMT REPS**
MASSACHUSETTS, CONNECTICUT,
MAINE, NEW HAMPSHIRE,
RHODE ISLAND, VERMONT
(855) 568-7377 Acton, MA
- 17 TD MARKETING**
NEW YORK (Metro), CONNECTICUT
(Southwest), NEW JERSEY (Northern)
(732) 339-3266 Edison, NJ
- 18 TD MARKETING NORTH**
NEW YORK (Western, Rochester,
Buffalo, Syracuse, Binghamton)
(315) 447-0979 Janesville, NY
- 19 RJR MARKETING**
MARYLAND, VIRGINIA, DELAWARE
(Southern), and WASHINGTON D.C.
(301) 236-0398 Silver Springs, MD

- 20 STARLIPER & ASSOCIATES**
PENNSYLVANIA (Eastern),
DELAWARE (Northern),
NEW JERSEY (Southern)
(610) 363-5688 Phoenixville, PA
- 21 FLORIDA AGENTS**
FLORIDA
(727) 572-5200 St. Petersburg, FL

CANADA

- 22 TOP LINE MARKETING**
BRITISH COLUMBIA, ALBERTA
(604) 377-9101 Vancouver, BC
- 23 KEATING OF CHICAGO, INC.**
MANITOBA, SASKATCHEWAN
CALL 1-800-KEATING
- 24 HAMILTON AGENCIES**
QUEBEC, NEW FOUNDLAND,
NEW BRUNSWICK, PRINCE
EDWARD ISLAND, NOVA
SCOTIA, NUNAVUT, NORTHWEST
TERRITORY, YUKON
(514) 639-4433 Lachine, QC



Sales Policies & Information

Only written purchase orders will be accepted. Telephone orders must be confirmed in writing.

All purchase orders must contain the following information:

- Dealer name with complete billing address and telephone number
- Purchase order number
- Ship to address and telephone number
- Mark for customer information
- Model number, description and price
- Requested ship date and carrier

PLEASE NOTE:

- This equipment must be professionally installed and started to begin the one year warranty period.
- Equipment may **not** be sold for household use; warranties and liability will be considered void.
- Compliance with local codes is the responsibility of purchaser and installer.
- Purchase orders must specify if equipment will be used in mobile applications.
- All orders accepted subject to government regulations and conditions beyond manufacturer's control.
- Custom orders require customer approval of Keating drawings.
- As Keating is constantly involved in improving our equipment, specifications and prices may be changed without notice.
- Please note that unless listed otherwise, options are available at an additional charge.



Terms

PRICES EFFECTIVE APRIL 1, 2021 TO AUGUST 31, 2021

- Prices are in US Dollars.
- Prices subject to change without notice.
- Terms: Net 30 days with approved credit.
- Special orders and Teppanyaki griddle orders, 50% deposit and customer approval of Keating drawing are required prior to release for production. Invoice must be paid in full prior to shipment.
- Price applies to all goods ordered for immediate shipment. Call for price quotation on future deliveries.
- Individual accessories which are omitted from equipment orders are deducted at 60% of the list price of the accessory. The list price of an accessory includes the cost of handling, packaging, etc. as individual orders — this is the reason for the differential deduction.

PRICES F.O.B. FACTORY

DELIVERY TIME

- In-stock orders will be shipped immediately. Allow 2-4 weeks for out-of-stock orders.
- Schedule dates will be acknowledged by the factory.

FREIGHT

- Shipped Class 85. NOTE: Ship weights are for single units without optional accessories. Actual weights will vary depending on customizing and accessories. In addition, shipping charges are subject to weight minimums by the carrier.
- All shipments via common carrier will ship collect or 3rd Party. **No pre-pay and add. No free freight.**
- Contact your carrier for freight quotations.



Returns & Cancellations

• **All returns must have a Return Merchandise Authorization number in order to be processed.**

• **No returns will be accepted without a Return Merchandise Authorization.**

Contact our **Customer Service department at 1-800-KEATING** for a Return Merchandise Authorization number and shipping instructions.

- Return Merchandise Authorization numbers are **valid for 30 days**.
- Unless an item is defective, all returns must be shipped prepaid within 30 days from date of the Return Merchandise Authorization number, in **new, unused condition** and are subject to inspection for damage or misuse prior to issuance of a credit or refund.
- Returns that are not the result of manufacturer error may be subject to a **20% restocking charge** to be determined at the time of return.
- Returned items **must** be new in original crate.
- Shipped drop-in equipment and Teppanyaki griddles are **not** returnable.
- Custom manufactured, special orders and used items are **not** returnable.
- Custom equipment is **not** cancellable.
- Absolutely no returns of equipment more than 1 year after original shipment.
- **Unauthorized returns will not be credited. Replacement items will be charged to you if defective item is not returned.**




Lost or Damaged Freight

- The carrier who delivers merchandise to your door is responsible for loss and damages. Acceptance of the shipment by the transportation company is acknowledgement that the articles delivered (or picked up) by them were in good condition and properly packed.

VERY IMPORTANT: Before signing the delivery receipt, inspect for any shortage or damage and note the nature and extent of the shortage or damage on the freight bill. If concealed damage or noted damage has occurred, save the shipping cartons and packaging. You must request an inspection by the carrier immediately and file a claim after inspection to rectify damages to your product. You may confirm claim damages by certified mail with return receipt requested within 15 days.

Please do not return damaged items as they cannot be accepted without a Merchandise Return Authorization Tag.



Need a Quote? Looking for Equipment Specs?

Visit the Keating website to find your area sales representative, equipment specification sheets, product information, equipment manuals, literature and more: keatingofchicago.com

Corporate Office & Test Kitchen, McCook, IL



Many of our most popular items are currently in stock and ready for immediate shipment. We are always ready to build a unit to fit your unique requirements. All of our products are proudly designed and built in the USA.



phone: (708) 246-3000
fax: (708) 246-3100
keatingofchicago.com

8901 West 50th Street, McCook, IL 60525 USA



Keating is a contractor on gsaadvantage.gov

Keating equipment is ETL and NSF Approved where applicable.



Revit and AutoCAD


Keating equipment symbol libraries and specs are available in Revit and CAD from:

Kochman Consultants Ltd. (KCL) at: kclcad.com
AutoQuotes at: aq-fes.com



Benefits of using Revit:

- 3-dimensional drawings offer more collaboration between designer and operator
- easier to view the project and create a more functional space
- ability to correct issues or problems early-on in the design phase
- accurate cost information



- Draw to scale
- easier to make changes and reduce risk of error
- identify design problems

